



Not just zumo, Mizumo!



■ ■ ■ GENERAL CATALOGUE ■ ■ ■



CONTENTS

2	ABOUT US
3	COMPACT RANGE
6	COMMERCIAL RANGE
15	LARGE CAPACITY RANGE
21	SPARE PARTS
25	MODEL COMPARISON



Not just zumo, Mizumo!

Mizumo is one of the leading Spanish brands in the field of automatic orange juicers.

We specialise in the design, manufacture and commercialisation of automatic juicers for squeezing fresh orange juice.

Our commitment is to offer professional juicers with maximum efficiency and quality, which means they are robust, simple to use and affordable.

The Mizumo team, consisting of young professionals who are striving to act always efficiently and effectively to meet the needs of the customers.

At Mizumo, after-sales service is a key value.

Therefore, Mizumo is investing and investigating continuously in market & product developments to adapt and maintain the highest level of quality & efficiency.



Mizumo Quality Control



We are committed to
the environment



Cleaning and Disinfection
Mizumo Program

COMPACT RANGE ■■■

The junior members of
the **Mizumo** family



■ ■ ■ CITRIC

ELECTRIC CITRUS JUICER

Ideal for businesses with moderate consumption and reduced space.

TYPE OF CONSUMPTION



- Easy disassembly for quick cleaning.
- Two squeezing cones: one for small citrus and another for larger citrus.



SPECIFICATIONS

- ✓ Professional range.
- ✓ Dimensions: 21x24x37.5 cm (24x29x45 cm with packaging).
- ✓ Weight: 5 kg (6 kg with packaging).
- ✓ Maximum free height for juice container: 15.5 cm.
- ✓ Power 80 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

THE BENJAMIN OF THE FAMILY

Compact juicer, ideal for businesses with moderate consumption and reduced space. Includes an automatic orange feeder and manual tap.

TYPE OF CONSUMPTION



Optional orange bins.



Safety: protection sensor built into filter.



Easy to assemble and disassemble.

SPECIFICATIONS

- ✓ Automatic orange feeder.
- ✓ Input capacity: 16 oranges per minute.
- ✓ Basket capacity: 3 kg of oranges.
- ✓ Maximum free height for juice container: 18 cm.
- ✓ Dimensions: 33x32.5x58.5 cm (43x40x66 cm with packaging).
- ✓ Weight: 27 kg (31 kg with packaging).
- ✓ Orange size: 50-70 mm Ø.
- ✓ Power: 90 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).



COMMERCIAL RANGE ■■■

Designed to simplify
the work of professionals

■ ■ ■ EASY-PRO

SIMPLICITY AND VERSATILITY

Our **"Best seller"** combines simplicity, robustness and efficiency. If your idea is to serve freshly squeezed orange juice easily, quickly and cost-effectively, this is your ideal juicer.

It's stainless steel body construction means easy cleaning, excellent hygiene and great durability.

TYPE OF CONSUMPTION



Safety: mechanical sensor protection.



Stainless steel body.



A showcase of freshly squeezed juice that helps sell the juicer.

SPECIFICATIONS

- ✓ Manual orange feeder.
- ✓ Input capacity: 22 oranges per minute.
- ✓ Basket capacity: 6 kg of oranges.
- ✓ Maximum free height for juice container: 17.5 cm.
- ✓ Dimensions:
 - EASY-PRO/EASY-PRO (P): 49.5x40x78 cm with bins 46x34x78 cm without bins (49.5x48x78 cm with packaging).
 - EASY-PRO FORZE/ EASY-PRO FORZE (P): 49.5x42x78 cm with bins 46x36x78 cm without bins (49.5x48x78 cm with packaging).
- ✓ Weight:
 - EASY-PRO/EASY-PRO (P): 42 kg (45 kg with packaging).
 - EASY-PRO FORZE / EASY-PRO FORZE (P): 46 kg (49 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 200 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

OTHER VERSIONS

■■■ EASY-PRO (P)

This is a more economical version, since the juicer is constructed of orange painted steel. Except for the parts which come in direct contact with the juice, they are made of stainless steel to ensure excellent hygiene.

TYPE OF CONSUMPTION



The wall behind the squeezing mechanism is made of stainless steel.

■■■ EASY-PRO FORZE

Both of the above versions, are available in an enhanced version, built with a sturdy and more durable chassis that will allow increased consumption over longer periods of time. The FORZE option is recommended from 200 kg per week.

TYPE OF CONSUMPTION



Stainless steel option.



Orange painted steel option.

ACCESSORIES



Stainless steel bins



Stainless steel upper basket



Stainless steel drip tray

■ ■ ■ EASY-PRO SS

STURDINESS WITH DESIGN

With identical features to the EASY-PRO model, it is equipped with a stainless steel cover for a different aesthetic appearance and greater robustness.

TYPE OF CONSUMPTION



Stainless steel body and cover.
Excellent hygiene and durability.



Drip tray.



With display window of
the squeezing process.

SPECIFICATIONS

- ✓ Manual orange feeder.
- ✓ Input capacity: 22 oranges per minute.
- ✓ Basket capacity: 6 kg of oranges.
- ✓ Maximum free height for juice container: 17.5 cm.
- ✓ Dimensions:
 - EASY-PRO SS: 46x34x78 cm (49.5x48x89.5 cm with packaging).
 - EASY-PRO FORZE SS: 46x36x78 cm (49.5x48x89.5 cm with packaging).
- ✓ Weight:
 - EASY-PRO SS: 44 kg (47 kg with packaging).
 - EASY-PRO FORZE SS: 48 kg (51 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 200 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

OTHER VERSIONS

■■■ EASY-PRO SS FORZE

Reinforced version, built with a sturdy and more durable chassis, allowing for increased consumption over longer periods of time. This is recommended from 200 kg per week.



TYPE OF CONSUMPTION



ACCESSORIES



Stainless steel upper basket



Stainless steel drip tray



EASY-PRO EVO

EVOLVED VERSATILITY

The evolution of the design of our successful EASY-PRO model.

It's stainless steel body construction means easy cleaning, excellent hygiene and great durability.

TYPE OF CONSUMPTION



Ergonomic bin. Empty both containers and drip tray in a single movement.



Uniform design with flowing lines.



Design and performance: 22 oranges per minute.

SPECIFICATIONS

- ✓ Manual orange feeder.
- ✓ Input capacity: 22 oranges per minute.
- ✓ Basket capacity: 6 kg of oranges.
- ✓ Maximum free height for juice container: 17.5 cm.
- ✓ Dimensions:
 - EASY-PRO EVO / EASY-PRO EVO (P): 46x34x78 cm (49.5x48x78 cm with packaging).
 - EASY-PRO EVO (P) Podium: 55x44x155 cm (49.5x48x78 cm + 64x53x89 cm with packaging).
- ✓ Weight:
 - EASY-PRO EVO/ EASY-PRO EVO (P): 42 kg (45 kg with packaging).
 - EASY-PRO EVO (P) Podium: 42+30 kg (45+33 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 200 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

OTHER VERSIONS

■ ■ ■ EASY-PRO EVO (P)

The juicer is constructed of orange painted steel. Except for the parts which come in direct contact with the juice, they are made of stainless steel to ensure excellent hygiene.

TYPE OF CONSUMPTION



■ ■ ■ EASY-PRO EVO (P) PÓDIUM

This version expands the possibilities of an already versatile model. The Podium can hold a waste container of 60 litres equipped with wheels for convenient mobility.

TYPE OF CONSUMPTION



ACCESSORIES



Stainless steel upper basket

■ ■ ■ AUTO-PRO

SMART AUTOMATION

Following the philosophy of simplicity and robustness of its smaller siblings, we have built a juicer designed for higher consumption, incorporating an automatic orange feeder and self-service tap.

TYPE OF CONSUMPTION



Ergonomic bin. Empty both containers and drip tray in a single movement.



Self-service tap.



Automatic orange feeder.

SPECIFICATIONS

- ✓ Automatic orange feeder and programmer with optional counter.
- ✓ Input capacity: 22 oranges per minute.
- ✓ Basket capacity: 10 kg of oranges.
- ✓ Maximum free height for juice container: 18 cm.
- ✓ Dimensions: 46x47x96 cm (54.5x51x104 cm with packaging).
- ✓ Weight: 58 kg (61 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 200 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

OTHER VERSIONS

■ ■ ■ AUTO-PRO COUNTER

Version that adds an programmer/orange counter that will allow us to:

- Count and control the total number of oranges squeezed.
- Program the number of oranges to be squeezed per serving.



Programmer and orange counter function.

TYPE OF CONSUMPTION



■ ■ ■ LARGE CAPACITY
RANGE

The self-service juicers of
the **Mizumo** family



SELF-SERVICE PRO

INTUITIVE SELF-SERVICE

Designed especially for businesses where customers serve their own natural juice. And since the customer is king, it must be as convenient and fresh as possible.

That's why the Mizumo SELF-SERVICE PRO juicer is the ideal tool.


This model is built around a specially reinforced stainless steel body for large consumption needs. The input basket can hold up to 20 kilos of oranges, and the wheeled podium can accommodate two waste containers of 40 litres each.

In addition, the juicer has a self-service tap that operates the juicer each time it is pressed.


TYPE OF CONSUMPTION



SELF-SERVICE PRO



Self-service tap with bottle holder, detachable and adjustable.



With pulp scraper built into the filter.



Feeder with 20 kg capacity and mechanical locking.

SPECIFICATIONS

- ✓ Automatic orange feeder.
- ✓ Input capacity: 40 oranges per minute.
- ✓ Basket capacity: 20 kg of oranges.
- ✓ With support for 38/33 neck bottles.
- ✓ Bottle racks available. See accessories section.
- ✓ Maximum free height for juice container: 26 cm.
- ✓ Dimensions: 66x58x180 cm (68x69x126.5 cm + 82.5x62x82 cm with packaging).
- ✓ Weight: 108+38 kg (130+58 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 370 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

INDUSTRIAL

LARGE-SCALE PRODUCTION

Designed and conceived for professionals who require high juice volumes.

This model is built around a specially reinforced stainless steel body for great performance. The input basket can hold up to 20 kilos of oranges, and the wheeled podium can accommodate a waste containers of 60 litres capacity.

It also has a 5-litre tank with manual tap, to store freshly squeezed juice and serve large volumes in a short span of time.

TYPE OF CONSUMPTION



INDUSTRIAL



Height adjustable stainless steel drip tray.



5-litre container with tap.



Feeder with 20 kg capacity and mechanical locking.


SPECIFICATIONS

- ✓ Automatic orange feeder.
- ✓ Input capacity: 40 oranges per minute.
- ✓ Basket capacity: 20 kg of oranges.
- ✓ Maximum free height for juice container: 26 cm.
- ✓ Bottle racks available. See accessories section.
- ✓ Dimensions: 61x70x170 cm (68x69x126.5 cm + 62.5x56x72 cm with packaging).
- ✓ Weight: 108+38 kg (130+41 kg with packaging).
- ✓ Orange size: 60-80 mm Ø.
- ✓ Power: 370 W.
- ✓ Voltage: 230 V / 50 Hz (110 V / 60 Hz consult).

■ ■ ■ LARGE CAPACITY RANGE ACCESSORIES

BOTTLE RACKS

If the idea is to offer freshly squeezed bottled juice, bottle racks are an ideal accessory. Made of stainless steel and designed to integrate with the podium. We offer three versions: **Basic**, **Ergo** and **Premium**.



■ ■ ■ BASIC



■ ■ ■ ERGO



■ ■ ■ PREMIUM



SPECIFICATIONS

- ✓ 100% stainless steel.
- ✓ **Basic** dimensions:
 - Maximum overall width: 34 cm.
 - 24 bottles of up to 8 cm Ø and 19 cm high.
- ✓ **Ergo** dimensions:
 - Maximum overall width: 40 cm.
 - 3 shelves of 40x35 cm.
 - Free table surface of 40x15 cm.
 - Shelves with protection rails for bottles.
- ✓ **Premium** dimensions:
 - Maximum overall width: 40 cm.
 - 3 shelves of 40x35 cm.
 - Free table surface of 40x15 cm.
 - Shelves with protection rails for bottles.



SPARE PARTS


Mizumo considers **after-sales service** as one of its basic pillars. Our mission is to achieve total customer satisfaction. For this reason, our juicers, in addition to being designed for excellent durability, rely on an efficient **guarantee service, strict spare parts stock management** and an **extensive service network** capable of meeting our customers after-sales service needs.

We offer customer proximity and availability through a wide range of solutions that foster flexible, efficient and swift service at all times. Furthermore, we always have a wide range of spare parts in stock, allowing our technical service department to **offer a quick response** whenever necessary.





SPARE PARTS



To receive the complete catalogue of spare parts, please contact us! We'll be delighted to help you.
You can also search the spare parts section on our website by scanning the following **QR code** →





					
	MIZUMITO	EAS4-PRO/ EAS4-PRO (P)	EAS4-PRO FORZE/ EAS4-PRO FORZE (P)	EAS4-PRO SS	EAS4-PRO SS FORZE
SAFETY SENSOR	✓	✓	✓	✓	✓
ORANGE FEEDER	Auto	Manual	Manual	Manual	Manual
MAXIMUM ORANGE SIZE (mm Ø)	50-70	60-80	60-80	60-80	60-80
FEEDER CAPACITY	3 kg	6-8 pieces	6-8 pieces	6-8 pieces	6-8 pieces
INPUT CAPACITY (Oranges per minute)	16	22	22	22	22
TYPE OF CONSUMPTION	 	 	 	 	 
DIMENSIONS (cm) Length x Width x Height	33x32,5x58,5	49,5x40x78 (46x34x78 cm without hoppers)	49,5x42,5x78 (46x36x78 without hoppers)	46x34x78	46x36x78
NET WEIGHT (kg)	27	42	46	44	48
POWER (W)	90	200	200	200	200
TAP	Manual	-	-	-	-
WASTE CONTAINERS (litres)	6	10	10	10	10
COUNTER/ PROGRAMMER	-	-	-	-	-
PODIUM	-	-	-	-	-

					
EAS4-PRO EVO/ EAS4-PRO EVO (P)	EAS4-PRO EVO (P) PODIUM	AUTO-PRO	AUTO-PRO COUNTER	SELF-SERVICE PRO	INDUSTRIAL
✓	✓	✓	✓	✓	✓
Manual	Manual	Auto	Auto	Auto	Auto
60-80	60-80	60-80	60-80	60-80	60-80
6-8 pieces	6-8 pieces	10 kg	10 kg	20 kg	20 kg
22	22	22	22	40	40
					
46x34x78	55x44x155	46x47x96	46x47x96	66x58x180	61x70x170
42	42+30	58	58	108+38	108+38
200	200	200	200	370	370
-	-	Self-service	Self-service	Self-service	Manual
8	40	10	10	80	60
-	-	-	✓	-	-
-	✓	-	-	✓	✓



EXPRIMIDOR MIZUMO

C/ Germán Bernácer, 95
Elche Parque Empresarial
03203 – ELCHE (ALICANTE) – SPAIN

Phone: (+34) 965 035 784
e-mail: info@exprimidormizumo.com

OFFICIAL DISTRIBUTOR:



Consult our range of certified products.



www.exprimidormizumo.com/en